

AUDIONVAC VMS I53

One of the most popular vacuum packaging machines worldwide and this is not without reason; High quality 2l m3/h Busch pump, richly equipped as standard and large amount of options available to tailor it to your needs. This all against a very competitive price makes it one of the best sold vacuum machines worldwide!

Benefits

- Standard time control
- Standard soft air to vacuum seal sharp products
- Busch vacuum pump
- Maintenance friendly and easy to clean construction
- Made from high quality materials
- Standard double seal
- Standard digital control panel with 10 program memory
- Easy to operate with digital display
- Stainless steel chamber
- High transparent lid which increase your capacity and flexibility
- Standard equipped with 230-I-50 power supply

Accessories

- Liquid control, for vacuum sealing liquids
- Advanced control system (ACS)
- Additional platform
- Extra cassette
- Filling plates for lid
- External vacuum adapter
- Spare part set
- Trolley

Options


- 2 seal bars front and back, double your packing capacity
- Inclined plate for 2 silicone holders
- Inclined plate for 1 silicone holder
- Gas flush, Gas flush, modifies atmosphere packaging (MAP)
- Gas flush special, gas flush + bag holder + gas in chamber. Prevents the bag to be blown away during gas (MAP) injection.
- Wide seal 8 mm

- Cut-off seal, to easily tear off the residual plastic.
- I-2 cut-off seal, same as cut-off seal but in addition with I-2 cut-off seal the time and settings of the seal and cutting wire can be managed separately.
- Sensor control, constant, guaranteed end vacuum
- Power supply: 110/115-1-60 / 220-1-60 / 200-3-50/60

Markets

- Meat & Poultry industry
- Food processing
- Direct marketing
- Non-food industry
- Electronics

SPECIFICATIONS

Product	Audionvac VMS I53
Seal length	410 mm
Seal width	3,5 mm double seal
Position of the sealing bar	 2 sealbars
Effective chamber size (LxWxH)	410 x 370 x 180 mm
Type of machine	Vacuum chamber
Model	Table
Covering	Stainless Steel
Pump capacity	2l m ³ /h
Pedal operated	No
Type of film	PA/PE, Vacuum Bags
Thickness of film	2 x 150 micron
Type of package	Bag
Branche/Application	Bakery, Cheese, Coffee & Tea, Fruit & Vegetables, Industrial Parts, Meat & Poultry, Office Supplies, Packaging & Logistics, Pet Food, Shop, Warehouse, Food Industry
Type of product	Granulate, Powder, Solid