

AUDIONVAC VMS I93

Medium floor model, ideal for extra long products

- Digital control panel with 10 programs
- Stainless steel chamber
- Flat transparent lid

Standard functions





- Vacuum (timer control)
- Seal
- Soft-air

- Multi-cycles
- Gas plus function
- Expansion reduction

- Sensor control
- Bag cut-off seal
- 8mm single seal
- Short/long seal bars
- 3 seal bars
- Seal I-2
- Gas flush (2 gas pipes on short bar, 6 on long bar)
- Gas kit
- 230 V - 1 Ph - 50 Hz
- 200 V - 3 Ph - 50/60 Hz

- 208/230 V – 3 Ph – 60 Hz
 - 220/380 V – 3 Ph – 60 Hz
-

SPECIFICATIONS

| | |
|-----------------------------|---|
| Product | Audionvac VMS I93 |
| Seal length | 2 x 310 / 1 x 310 + 1 x 890 / 2 x 310 mm |
| Seal width | 3,5 mm double seal |
| Position of the sealing bar |  <i>long</i>  <i>short/short</i>  <i>short/long</i>  <i>3 sealbars</i> |
| Type of machine | Vacuum chamber |
| Model | Floor |
| Covering | Stainless Steel |
| Pump capacity | 63 m ³ /h |
| Pedal operated | No |
| Type of film | PA/PE, Vacuum Bags |
| Thickness of film | 2 x 150 micron |
| Type of package | Bag |
| Branche/Application | Backery, Cheese, Coffee & Tea, Fruit & Vegetables, Industrial Parts, Meat & Poultry, Office Supplies, Packaging & Logistics, Pet Food, Shop, Warehouse, Food Industry |
| Type of product | Granulate, Powder, Solid |