
AUDIONVAC VMS 333

The VMS 333 is the largest vacuum packaging machines of the floor standing single chamber machines of Audion. With the 5 different seal bar configuration and a total sealing length of 790 mm it can't go wrong. This strong industrial floor model vacuum chamber has a flat working plate. Made from heavy industrial materials which makes it a robust and durable packaging machine.

Richly equipped as standard with soft-air, IO program memory, time control. All together a rock solid machine which gives you benefits for years.

This machine can also be supplied as validated version.

Benefits

- Standard time control
- Standard soft air to vacuum seal sharp products
- Busch vacuum pump
- Standard double seal
- Maintenance friendly and easy to clean construction
- Made from high quality materials
- Standard with 10 program memory Standard digital control panel with 10 program memory
- Easy to operate with digital display
- Stainless steel chamber
- Standard equipped with 400-3-50 power supply

Accessories

- Liquid control, for vacuum sealing liquids
- Advanced control system (ACS)
- Additional platform
- Extra cassette
- Filling plates for lid
- External vacuum adapter
- Spare part set
- Trolley

Options

- 2 seal bars left right which doubles your packing capacity
- 2 seal bars front back which doubles your packing capacity
- 2 seal bars front right which doubles your packing capacity
- 3 seal bars left front right
- Gas flush, modifies atmosphere packaging (MAP)
- Wide seal 10 mm
- Bi-active seal, is recommend to use when vacuum sealing aluminum or thicker bags.
- Inclined plate for 2 silicone holders

- Inclined plate for 3 silicone holders
- Aluminum end blocks, for heavy duty packaging. Ensure an efficient and durable vacuum packaging process under the most extreme conditions.
- Aluminum end blocks for bi-active, for heavy duty packaging. Ensure an efficient and durable vacuum packaging process under the most extreme conditions.
- Validatable
- Calibration
- Cut-off seal, to easily tear off the residual plastic.
- I-2 cut-off seal, same as cut-off seal but in addition with I-2 cut-off seal the time and settings of the seal and cutting wire can be managed separately.
- Sensor control, constant, guaranteed end vacuum
- Power supply: 200-3-50/60 / 220-3-60

Markets

- Electronics
- Meat & Poultry industry
- Food processing
- Direct marketing
- Non-food industry

SPECIFICATIONS

Product	Audionvac VMS 333
Seal length	790 mm
Seal width	3,5 mm double seal
Position of the sealing bar	
Effective chamber size (LxWxH)	790 x 460 x 200 mm / 710 x 550 x 200 mm/ 790 x 490 x 200 mm
Type of machine	Validatable/calibratable/medical, Vacuum chamber
Model	Floor
Covering	Stainless Steel
Pump capacity	100 m ³ /h
Pedal operated	No
Type of film	PA/PE, Vacuum Bags
Thickness of film	2 x 150 micron
Type of package	Bag
Branche/Application	Bakery, Cheese, Coffee & Tea, Fish, Food, Fruit & Vegetables, Industrial Parts, Meat & Poultry, Medical & Laboratory, Office Supplies, Packaging & Logistics, Pet Food, Shop, Warehouse, Food Industry, Pharmaceutical Industry, Medical Industry, Seed Industry, Dental Industry, Laboratories
Type of product	Granulate, Powder, Solid