

SPEEDPACK TABLETOP 300 SPK TT

Speedpack Tabletop 300

A smart industrial bagger that excels in flexibility and productivity!

This tabletop all-electric automatic poly bagger efficiently bags and seals your products at high speed from pre-opened bags on roll.

Just simply choose your ideal bag size, plug in the Speedpack Tabletop and start packing your products! No compressed air is needed!

Speedpack Tabletop 300 features an industrial quality and user-friendly touchscreen interface with the capacity to store up to 50 jobs. The integrated load shelf can be adjusted to various angles, ensuring optimal set-up for bulky products.

Flexible Poly Bagging

Flexibility is critical for packaging products in poly bags. Therefore this automatic bagger is engineered to process poly bags on a roll up to 300 mm wide and 500 mm long.

Using an advanced control system the 300 SPK TT is able to operate at a rate of 30 bags/minute, ensuring that machine speed is not the limiting factor in your packaging process. Speedpack Tabletop can be loaded semi-automatically by hand or by using infeed devices that can interface directly with the PLC. This automatic bagger can be cycled by pressing a foot switch, tapping the seal bar or just in automatic mode.

Wide varieties of products can quickly be packed. Film rolls can easily be exchanged from the front side, saving operating time.

This poly bagger generates a cost efficient step forward in warehouse packaging, creating labor savings by automating your packaging process.

Benefits

- Labor savings by implementing simple semi-automation
- No compressed air needed: fully electrically powered
- Easy product loading
- Automatic, manual or foot operation mode

- High capacity: up to 30 bags per minute
- The compact size and light weight make it easy to move
- User-friendly touchscreen with batch counters, packaging statistics and log-in levels, storing up to 50 jobs
- Easy film changeover from front side
- Low maintenance, maximum uptime
- Self-diagnostic problem solving
- Interface to infeed devices for a fully automatic packaging system
- Low power consumption (500 Watt)

- Bag stretcher (for stretching the bag, to minimize wrinkles in the seal)
- Inclinable bag support
- Foot operation with extra cover
- Handshake
- Error signal
- Label printer

- injection molding
- spare parts kitting
- household products
- pet products
- cosmetics
- apparels
- pharmaceutical products
- medical devices
- automotive parts
- order fulfillment
- food
- accessory packaging

SPECIFICATIONS

Product	Speedpack Tabletop 300
Type of machine	Compact form fill seal machine
Model	Table
Seal length	300 mm (max)
Bag length	130 – 500 mm (min-max) 310 mm – support table
Bag width	75-300 mm (min-max)
Seal width	1,5 mm
Capacity	max. 30 bags / min (depending on bag size, film and way of filling)
Knife	No
Pedal operated	Yes/No (pedal is optional)
Covering	Epoxy/Stainless Steel
Type of film	Rollbags, PE
Thickness of film	25-150 micron
Type of package	Bag
Branche/Application	Industrial Parts, Office Supplies, Packaging & Logistics, Pet Food, Shop, Warehouse, Accessory packaging, Automotive, Fasteners, Household products, Pet products, Toys
Type of product	Granulate, Powder, Solid
Diameter film roll	max. 255 mm
Max. reel core diameter	27 mm
Dimensions (l x w x h)	450 x 650 x 595 mm
Voltage	230 V-lph-50 /60 Hz
Consumption	500 W

